




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁴ : G07C 15/00, G06F 15/28 G07F 17/32	A1	(11) International Publication Number: WO 89/ 02139 (43) International Publication Date: 9 March 1989 (09.03.89)
(21) International Application Number: PCT/US87/03189 (22) International Filing Date: 3 December 1987 (03.12.87) (31) Priority Application Number: 091,621 (32) Priority Date: 1 September 1987 (01.09.87) (33) Priority Country: US (71) Applicant: AMERICAN TELEPHONE AND TELEGRAPH COMPANY [US/US]; 550 Madison Avenue, New York, NY 10022 (US). (72) Inventors: ENTENMANN, John, Keith ; 1365 Westchester Drive, Glendale Heights, IL 60139 (US). HOOKE, John, Allen ; 41 Ward Avenue, Rumson, NJ 07760 (US). KAMPMEIER, Eric, Edward ; 1447 Knoll Drive, Naperville, IL 60565 (US). POSTERICK, Barry, Lee ; 354 North Batavia, Batavia, IL 60510 (US).		(74) Agents: HIRSCH, A., E., Jr. et al.; Post Office Box 679, Holmdel, NJ 07733 (US). (81) Designated States: AT (European patent), AU, BE (European patent), CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent). Published <i>With international search report.</i>

(54) Title: USE OF TELECOMMUNICATIONS SYSTEMS FOR LOTTERIES



(57) Abstract

A lottery system using a public switched network to enter a lottery and to receive an indication of winning while connected on a lottery call. A lottery customer dials a telephone number to enter the lottery. The customer has his eligibility verified by a credit card number or the telephone number of the calling station. The customer is then prompted to speak or key a lottery entry which may be a full number, partial number, or an indication that a lottery comparison number is to be generated by a lottery processor. From the customer's lottery entry, a lottery comparison number is generated. This is compared with a random lottery target number generated by the lottery processor. If the comparison number and target number match, the customer is informed of his winning. Advantageously, lottery customers are quickly notified of their winnings.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	ML	Mali
AU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	IT	Italy	NO	Norway
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Licchtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland				

- 1 -

USE OF TELECOMMUNICATIONS SYSTEMS FOR LOTTERIES

Technical Field

This invention deals with arrangements and methods for conducting lotteries and more specifically with lottery arrangements and methods using telecommunications systems to communicate between customers and a centralized

5 lottery system.

Problem

State run lotteries have become increasingly popular in the past several decades. In these lotteries, the players typically select a group of numbers from a much larger group of possible numbers and pay for each selection. For
10 example, for each drawing of the lottery, the Illinois State Lottery allows its players to select any two combinations of 6 numbers from 1-44 for a charge of \$1.00. The winner(s) of the lottery are the person(s) who have selected all six numbers correctly for that drawing.

Compared with other gambling activities, a lottery has the
15 disadvantage that a selection must generally be made long before results are obtained and announced. For example, the Illinois Lottery "Lotto" game has two drawings per week. A bettor can only purchase tickets at least ten minutes and up to three days before each drawing, and must wait until the drawing to find out whether he has won. Only by entering the lottery at a time close to the time of
20 the twice-weekly drawing can a customer get results in a fairly short time. This is in contrast to other gambling activities, such as a roulette wheel or dice, where the bettor learns results momentarily. A problem of the prior art of lottery systems therefore is that no facilities are available for providing a bettor with mechanized immediate results on his lottery bet, particularly over telecommunications
25 facilities.

Solution

The above problem is solved and an advance is made in lottery systems in accordance with one exemplary embodiment of the invention, wherein a lottery player communicates via a telecommunications link with a centralized
30 lottery administration system, communicates a selection to that system over a telecommunications link, and, in a departure from the prior art, has that selection or a number based on that selection compared with a random number generated in the lottery system while the player is still on line. If the result of the comparison

- 2 -

indicates a winning lottery entry, the lottery player is informed that the player has won a prize.

Brief Description of the Drawing

The invention can be understood from the following detailed
5 description when read with reference to the drawing in which:

FIG. 1 is a block diagram of a system for practicing the invention;
and

FIGS. 2 and 3 are flow diagrams of steps for processing customer
lottery calls.

10 Detailed Description

FIG. 1 is a block diagram of a system for providing customer paid
lottery or sponsor paid lottery services. A customer at customer station 1 is
connected via a local switching system 3 to a toll switching system 5. The local
switching system may be, for example, a 1A ESSTM switch, described in "No. 1
15 Electronic Switching System", *Bell System Technical Journal*, Vol. 43, No. 5,
pp. 1831-2592, September 1964, and "1A Processor", *Bell System Technical
Journal*, Vol. 56, No. 2, pp. 119-315, February 1977. In order to be able to
process calls without requiring credit card or equivalent data, it is desirable that
the local switching system be capable of identifying the telephone number of a
20 customer and forwarding this number to a toll switching system, i.e., capable of
performing the automatic number identification (ANI) function. In this
embodiment, the local switching system is connected to a toll switching system
which may, for example, be the 4 ESS switch described in "No. 4 ESS", *Bell
System Technical Journal*, Vol. 56, No. 7, pp. 1015-1320, September 1977, and
25 "No. 4 ESS", *Bell System Technical Journal*, Vol. 60, No. 6, pp. 1041-1224, July-
August 1981. In other embodiments, the functions described herein for the toll
switch may be performed by a tandem switching system or the customer's local
switching system. In the 4 ESS switch the customer is connected through
switching network 9 to a network services complex 7. This connection is set up
30 under the control of a processor system 11. The network services complex has its
own processor 8 and is connectable to a voice processing unit 15 comprising a
combined dual tone multifrequency (DTMF) receiver/speech recognition unit. The
DTMF receiver detects DTMF keyed signals, the speech recognition unit
recognizes spoken digits. The network services complex also includes an
35 announcement system 17 for prompting customers and for delivering an

- 3 -

advertising message for sponsor paid lotteries. Data base 19, connected via the switching network 9, is used for maintaining customer eligibility data for a lottery and for accumulating billing data for customers of a customer paid lottery. This data base is accessed prior to accepting a lottery call and prior to prompting a customer to enter lottery data. The data base can alternatively be accessed via the network services complex 7. A printer 21 is used to record major events, for example, the winning of a prize by a customer. Control console 23 is used to generate and enter control information into control processor 8 for varying the probability of winning a prize, for example, by extending or narrowing the range of target random numbers, and for varying the amount of the payoff, and for controlling these factors for a plurality of lotteries controlled by the same complex.

FIGS. 2 and 3 are flow diagrams of a method of offering both customer paid and sponsor paid lotteries. Action box 50 (FIG. 2) represents the customer dialing a code to access the lottery. This code may be the code of a customer paid lottery or it may be the code of an advertisement. The customer's telephone number is forwarded to the toll switching system using automatic number identification (action box 52). The data base 19 is then used to verify the eligibility of the customer for the specific lottery (action box 54). This eligibility may be based on locale in the case of either a customer paid or a sponsor paid lottery since a customer paid lottery may not be legal in certain areas and a sponsor may not be interested in receiving inquiries from certain areas. Alternatively, a customer could supply a credit card number and eligibility, charges, and winnings could be referred to that credit card account. The data base is used to verify a particular customer's eligibility and to record charges: for the sponsor paid lottery a particular customer may be eligible only for a limited number of chances; for the customer paid lottery it is important to keep a record of how many times a customer has used the lottery to ensure that a prepaid amount or a credit limit is not exceeded. If a sponsor does not demand a limitation on the use of the lottery by a customer, the customer's directory number is not needed and can be obtained in case of a win by an operator attached to the call at that time.

Next, a customer is prompted to key or speak a lottery selection to be used for generating that customer's lottery comparison number (action box 56). This lottery selection can be a full lottery comparison number, a partial lottery

- 4 -

comparison number, or an indication that the data base is to generate the lottery comparison number, either specifically or as a default condition. In the case of sponsor paid lotteries, this prompting may follow earlier announcements in which the sponsor delivers an advertisement and perhaps seeks marketing information by requesting a customer to speak or key digits or the words "yes" or "no". Such information would be detected by DTMF receiver/speech recognition unit 15. The keyed or spoken lottery selection is announced back to the customer (action box 58). If the customer fails to key or speak a go-ahead signal (test 60 "no" output) then the customer is reprompted to key or speak the lottery number. If the customer does key or speak a go-ahead signal ("yes" output of test 60) then billing data is entered for the customer of a customer paid lottery; eligibility data for that customer is also updated (action box 62) to reflect the fact that the customer has used the lottery once more. If this is a sponsor paid lottery, eligibility data is updated to prevent any specific customer from overusing the service. If this is a customer paid lottery entry, the customer is billed (action box 63).

FIG. 3 illustrates one method of determining whether the lottery entry represents a winning entry. Control processor 8 generates a lottery target random number (action box 64) which is compared (test 66) with a lottery comparison number generated (action box 65) from the lottery selection. The lottery target number could also be generated by another processor under the control of the sponsor or the administrator of a lottery, which telephone number control processor 8 would then compare with a lottery comparison number. Note that the customer need not key or speak a full number, although this is an option if marketing tests show that full number entry is preferred. For example, the customer may key or speak the first four digits of a ten digit random number and the control processor 8 will generate a random number for the last six digits. The lottery comparison number generated from the customer's selection data and the random lottery target number generated by the processor for comparison are compared in test 66. If there is no match or no near match, the customer is informed (action box 68) through an announcement and the call is disconnected (action box 69). If there is a match or near match (for example, a match of all but one number), a record is immediately printed on the printer 21 so that even if the call for some reason is interrupted a retrievable record is available and the customer can be called back (action box 70). In the normal situation, the win is then announced to the customer by announcement (action box 72) and the

- 5 -

customer is connected to an operator (action box 74). The operator records additional customer data supplied by the customer such as the address and name (action box 76) and a verification entry is printed on printer 21 (action box 78) to verify that an operator has recorded this data. The lottery entry can also be

5 arranged to be tried periodically, say, every month. A lottery comparison number is generated (action box 90) and the customer billed (action box 92). The random lottery target number is generated (action box 94) and the comparison made (test 66, previously described.) If the lottery entry is periodic, there is no need to announce the absence of a winning entry to the customer (action box 68). If the

10 customer has won, it is necessary to initiate a call to the customer to announce the win as described with respect to action box 72, since the customer is not connected on a periodic lottery entry.

FIG. 2 also illustrates the steps for processing a call generated by a sponsor. Unsolicited computer-generated calls very frequently encounter an

15 almost immediate disconnect by the called customer. In order to induce the customer to hang on, perhaps in order to receive marketing information or to get a customer purchase order, in accordance with the principles of this invention, an announcement is played promising the customer that if the customer does not disconnect, the customer will be given a chance to win a lottery prize. Such a call

20 is generated and the customer number of the call is recorded (action box 90). The sponsor's message is announced to the customer (action box 92). Next, a test is made whether the customer is still connected (test 94). If not, the call is disconnected (action box 86). If the customer is still connected, the telephone number of the customer is forwarded to the supplier of the lottery and the steps

25 from action box 54 on described supra with respect to customer generated calls are performed. Alternatively, the lottery service can be provided directly by the same equipment which is generating the calls and messages to customers as discussed with respect to action box 90 and 92. Alternatively, the system can be used for calls initiated by customers to a sponsor supplied message.

30 It is to be understood that the above description is only of one preferred embodiment of the invention. Numerous other arrangements may be devised by one skilled in the art without departing from the spirit and scope of the invention. The invention is thus limited only as defined in the accompanying claims.

Claims

1. A method of operating a lottery comprising the steps of:
receiving a lottery entry, comprising a lottery entry selection, from a telecommunications station to a centralized lottery system;
5 generating a lottery target number in said centralized lottery system;
processing said lottery entry selection for matching with said lottery target number to determine if said lottery entry is a winning entry; and
responsive to a determination that said lottery entry is a winning entry, reporting a winning result to said telecommunications station.
- 10 2. The method of claim 1 wherein said processing step matches for full identity and for partial identity and, responsive to said full identity, said reporting step reports a first predetermined winning amount and, responsive to said partial identity, said reporting step reports a second predetermined winning amount.
- 15 3. The method of claim 1 wherein said processing step comprises the step of:
generating a lottery comparison number from said lottery entry selection; and
20 matching said lottery comparison number with said lottery target number.
4. The method of claim 3 wherein said step of generating a lottery comparison number comprises the step of generating a random number based on said lottery entry selection.
- 25 5. The method of claim 3 wherein said step of generating a lottery comparison number comprises the step of copying said lottery entry selection for use as said lottery comparison number.
6. The method of claim 1 further comprising the steps of:
identifying said telecommunications station; and
verifying the eligibility of a customer at said telecommunications
30 station to participate in said lottery.
7. The method of claim 1 further comprising the steps of:
identifying said telecommunications station; and
recording billing data for said lottery entry for said telecommunications station.
- 35 8. The method of claim 1 further comprising the steps of:

- 7 -

identifying a customer at said telecommunications station; and
verifying the eligibility of said customer to participate in said lottery.

9. The method of claim 1 further comprising the step of:

calling said telecommunications station prior to the step of

5 transmitting a lottery entry, wherein said step of transmitting a lottery entry is
enabled if said telecommunications station does not disconnect before a lottery
prompt is transmitted to said telecommunications station.

10. A lottery system comprising:

means for receiving signals from a customer telecommunications

10 station, said signals representing data for a lottery entry; and

processing means for determining whether said data for said lottery
entry represents a winning entry, comprising:

means for generating a lottery target number, means for processing
said data for said lottery entry to form a lottery comparison number, and means
15 for matching said lottery target number and said lottery comparison number.

11. The lottery system of claim 10 further comprising:

means for notifying a customer at said customer station of a winning
entry.

12. The system of claim 10, wherein said customer station has an
20 identification code, further comprising:

means for determining an identification code for said customer station;

and

data base means responsive to said identification code for verifying
eligibility of said customer station to participate in the lottery of said lottery

25 system.

13. The system of claim 10 further comprising:

means for receiving signals representing a credit card identification
code from said customer station; and

data base means responsive to said credit card identification code for
30 verifying eligibility of said customer station to participate in the lottery of said
lottery system.

14. A method of operating a lottery comprising the steps of:

receiving over a telecommunications network a call from a lottery
caller for making a lottery entry;

- 8 -

determining whether said lottery entry is a winning entry;
alerting said caller of said call of said determination over said
network; and
billing said caller for said entry.

- 5 15. The method of claim 14 wherein said determining and said billing
is performed periodically for said lottery entry.




FIG. 1

2/3




FIG. 2

3/3




FIG. 3

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 87/03189

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ⁶ According to International Patent Classification (IPC) or to both National Classification and IPC IPC ⁴ : G 07 C 15/00; G 06 F 15/28; G 07 F 17/32																							
II. FIELDS SEARCHED <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black; margin: 5px 0;">Minimum Documentation Searched ⁷</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 30%; border-bottom: 1px solid black;">Classification System</th> <th style="border-bottom: 1px solid black;">Classification Symbols</th> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;">IPC⁴</td> <td style="padding: 5px;">G 07 C; G 07 F; G 06 F; H 04 M</td> </tr> </table> <div style="text-align: center; border-top: 1px solid black; border-bottom: 1px solid black; margin: 5px 0;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸</div>			Classification System	Classification Symbols	IPC ⁴	G 07 C; G 07 F; G 06 F; H 04 M																	
Classification System	Classification Symbols																						
IPC ⁴	G 07 C; G 07 F; G 06 F; H 04 M																						
III. DOCUMENTS CONSIDERED TO BE RELEVANT ⁹ <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 10%; border-bottom: 1px solid black;">Category ⁹</th> <th style="width: 70%; border-bottom: 1px solid black;">Citation of Document, ¹¹ with Indication, where appropriate, of the relevant passages ¹²</th> <th style="width: 20%; border-bottom: 1px solid black;">Relevant to Claim No. ¹³</th> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">EP, A, 0032410 (DE BRUYN) 22 July 1981 see abstract; page 4, line 18 - page 7, line 16; claims; figures</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,10,14</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="text-align: center; vertical-align: middle; padding: 5px;">--</td> <td style="text-align: center; vertical-align: top; padding: 5px;">2,6-8,12,15</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">Y</td> <td style="padding: 5px;">US, A, 4494197 (SEYMOUR et al.) 15 January 1985 see abstract; page 1, line 58 - page 2, line 25 and lines 52-68; page 9, line 43 - page 10, line 7; page 15, line 21 - page 16, line 12; page 18, line 24 - page 19, line 5; claims; figures</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,10,14</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="text-align: center; vertical-align: middle; padding: 5px;">--</td> <td style="text-align: center; vertical-align: top; padding: 5px;">6,8,11-13</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">FR, A, 2553210 (GOTLIBOWICZ et al.) 12 April 1985 see page 1, line 13 - page 6, line 17; figures</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,6-14</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;">GB, A, 2147773 (IGT) 15 May 1985 see abstract; page 1, lines 24-51; page 10, line 58 - page 11, line 55 ./.</td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,10,14</td> </tr> </table>			Category ⁹	Citation of Document, ¹¹ with Indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	Y	EP, A, 0032410 (DE BRUYN) 22 July 1981 see abstract; page 4, line 18 - page 7, line 16; claims; figures	1,10,14	A	--	2,6-8,12,15	Y	US, A, 4494197 (SEYMOUR et al.) 15 January 1985 see abstract; page 1, line 58 - page 2, line 25 and lines 52-68; page 9, line 43 - page 10, line 7; page 15, line 21 - page 16, line 12; page 18, line 24 - page 19, line 5; claims; figures	1,10,14	A	--	6,8,11-13	A	FR, A, 2553210 (GOTLIBOWICZ et al.) 12 April 1985 see page 1, line 13 - page 6, line 17; figures	1,6-14	A	GB, A, 2147773 (IGT) 15 May 1985 see abstract; page 1, lines 24-51; page 10, line 58 - page 11, line 55 ./.	1,10,14
Category ⁹	Citation of Document, ¹¹ with Indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³																					
Y	EP, A, 0032410 (DE BRUYN) 22 July 1981 see abstract; page 4, line 18 - page 7, line 16; claims; figures	1,10,14																					
A	--	2,6-8,12,15																					
Y	US, A, 4494197 (SEYMOUR et al.) 15 January 1985 see abstract; page 1, line 58 - page 2, line 25 and lines 52-68; page 9, line 43 - page 10, line 7; page 15, line 21 - page 16, line 12; page 18, line 24 - page 19, line 5; claims; figures	1,10,14																					
A	--	6,8,11-13																					
A	FR, A, 2553210 (GOTLIBOWICZ et al.) 12 April 1985 see page 1, line 13 - page 6, line 17; figures	1,6-14																					
A	GB, A, 2147773 (IGT) 15 May 1985 see abstract; page 1, lines 24-51; page 10, line 58 - page 11, line 55 ./.	1,10,14																					
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>¹⁰ Special categories of cited documents: ¹⁰</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"A" document member of the same patent family</p> </div> </div>																							
IV. CERTIFICATION <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; border-bottom: 1px solid black; padding: 5px;">Date of the Actual Completion of the International Search</td> <td style="width: 50%; border-bottom: 1px solid black; padding: 5px;">Date of Mailing of this International Search Report</td> </tr> <tr> <td style="text-align: center; padding: 5px;">4th May 1988</td> <td style="text-align: center; padding: 5px;">09 JUN 1988</td> </tr> <tr> <td style="border-bottom: 1px solid black; padding: 5px;">International Searching Authority</td> <td style="border-bottom: 1px solid black; padding: 5px;">Signature of Authorized Officer</td> </tr> <tr> <td style="text-align: center; padding: 5px;">EUROPEAN PATENT OFFICE</td> <td style="text-align: center; padding: 5px;"> P.C.G. VAN DER PUTTEN </td> </tr> </table>			Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report	4th May 1988	09 JUN 1988	International Searching Authority	Signature of Authorized Officer	EUROPEAN PATENT OFFICE	 P.C.G. VAN DER PUTTEN													
Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report																						
4th May 1988	09 JUN 1988																						
International Searching Authority	Signature of Authorized Officer																						
EUROPEAN PATENT OFFICE	 P.C.G. VAN DER PUTTEN																						

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No
	figures --	
A	GB, A, 2148135 (IGT) 30 May 1985 see abstract; page 1, lines 57-111; claims; figures	1,10,14
	--	
A	Computer, volume 7, no. 10, October 1974, (Long Beach, US), S.L. Dunik: "Large scale off- track betting systems", pages 30-38 -----	

**ANNEX TO THE INTERNATIONAL SEARCH REPORT
ON INTERNATIONAL PATENT APPLICATION NO.**

US 8703189
SA 20585

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.
The members are as contained in the European Patent Office EDP file on 31/05/88
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A- 0032410	22-07-81	JP-A- 56104565 AU-A- 6611381 CA-A- 1162336	20-08-81 16-07-81 14-02-84
US-A- 4494197	15-01-85	US-A- 4689742	25-08-87
FR-A- 2553210	12-04-85	None	
GB-A- 2147773	15-05-85	None	
GB-A- 2148135	30-05-85	None	